


# SG 4907

---



## PRODUCT INFORMATION

- **Operation:** chain
- **Range:** S
- **Fitting:** ceiling, wall, recess
- **Colours:** white RAL 9016 or grey RAL 7035, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection

### **Features:**


- Stainless steel bead chain
- Identical (left / right) metal click-in brackets
- Installation profile

# SYSTEM SPECIFICATIONS


## A. SYSTEM DIMENSIONS



1.8 m



50 cm




2.8 m



5 m<sup>2</sup>




2.5 kg




Recommended width /  
height ratio  
max. 1:3

## B. PROFILE


Profile information



**SG 4227**  
Tube ø 32 mm




**SG 10872**  
Bottom bar



**SG 10534**  
Installation profile

## C. HOW TO MEASURE



- A: System width
- B: System height
- C: Chain height
- D: Safety Retainer SG 10731 min. 150 cm above floor
- E: Light gap: 17 mm
- F: Light gap operation side: 17 mm

## D. SPECIFICATION

### TEXT

#### EN

Silent Gliss SG 4907 Chain Operated Roller Blind System. Roller blind system for blind applications up to 1.8 m wide. Supplied made to measure and complete comprising anodised aluminium barrel SG 4227. Fixed to wall / ceiling/inside recess with brackets SG 10873. Assembled with powder coated aluminium bottom weight bar SG 10872 in white / grey. Compliant to Child Safety legislation EN 13120. Fabric to be chosen from the Silent Gliss fabric range Basic Screen.

#### SV

Silent Gliss SG 4907 kedjemanövrerat rullgardinsystem. Rullgardinsystem för installationer upp till 1.8 m bredd. Levereras komplett i specificerat mått innefattande anodiserat rör SG 4227. Vägg/tak och nischmontering med fästen SG 10873. Monterad tyngdprofil i aluminium SG 10872 i vitt eller grått. Uppfyller barnsäkerhetsnormen EN 13120. Textil från Silent Gliss textilprogram Basic Screen.

#### NO

Silent Gliss SG 4907 Kjedefbetjent rullegardinsystem. Rullegardinsystem for maks. bredde på 1,8 meter. Leveres komplett på spesialmåll med anodisert rør integrert, SG 4227. Tak-,vegg- og nisjemontering med feste SG 10873. Montert tyngdeprofil i pulverlakkert aluminium SG 10872 i hvit eller grå. Oppfyller barnesikkerhetsnormen EN13120. Tekstil fra Silent Gliss kolleksjon Basic Screen.

#### DA

Silent Gliss SG 4907 gardinskinnesystem med kædestyring. Rullegardinsystemer til installationer med op til 1,8 m i bredden. Leveres i ønsket længde og samlet. Består af anodiseret aluminiumrør SG 4227. Fastgøres i væggen / loftet / indfældes med beslagene SG 10873. Monteret med pulverlakeret tyngdeprofil af aluminium SG 10872 i hvidt/gråt. Overholder lovgivning om børnesikkerhed efter EN 13120. Stoffet vælges fra Silent Gliss stofprogrammet Basic Screen.

# FITTING


## A. FITTING INFORMATION

For detailed fitting information, visit the [Silent Gliss website](#).

### Fixing points




Brackets (wall / ceiling)




Installation profile SG 10534 (wall / ceiling)


## B. CEILING FITTING




Brackets SG 10873




**Installation profile SG 10534, brackets SG 1198 and clamps SG 3033 or SG 3044**




**Installation profile SG 10534, brackets SG 1198 and click bracket SG 10539**




**SG 3033**  
Clamp



**SG 3044**  
Clamp




**SG 10534**  
Installation profile




**SG 10539**  
Bracket



**SG 10574**  
Bracket cover




**SG 10873**  
Bracket




**SG 1198**  
Bracket


**C. WALL FITTING**




**Brackets SG 10873**




**Installation profile SG 10534, brackets SG 11198 and clamps SG 3033 or SG 3044**




**Installation profile SG 10534, brackets SG 11198 and click bracket SG 10539**




**SG 3033**  
Clamp



**SG 3044**  
Clamp




**SG 10539**  
Bracket




**SG 10534**  
Installation profile



**SG 10574**  
Bracket cover




**SG 10873**  
Bracket




**SG 11198**  
Bracket


**D. RECESS FITTING**




**Brackets SG 10873**




**Installation profile SG 10534, brackets SG 11198 and clamps SG 3033 or SG 3044**




**Installation profile SG 10534, brackets SG 11198 and click bracket SG 10539**




**SG 3033**  
Clamp



**SG 3044**  
Clamp




**SG 10534**  
Installation profile




**SG 10539**  
Bracket



**SG 10574**  
Bracket cover




**SG 10873**  
Bracket



**SG 11198**  
Bracket


# SYSTEM OPTIONS

## A. FABRIC ROLL-OFF




A: Fabric roll-off window side (standard)  
B: Fabric roll-off room side (option)

## B. INSTALLATION PROFILE



# PARTS

## A. STANDARD PARTS



**SG 4226**

Double tape 30 mm



**SG 4227**

Tube ø 32 mm



**SG 4234**

PVC strip 12 mm



**SG 4845**

Bead chain metal ø 4.5 mm




**SG 10731**

Child safety retainer set




**SG 10872**

Bottom bar




**SG 10873**

Bracket




**SG 10874**

End cover



**SG 10880**

Chain drive



**SG 10885**

Tube adapter

## B. OPTIONAL PARTS




**SG 3033**

Clamp



**SG 3044**

Clamp




**SG 10498**

Countersunk screw 2.9x9.5



**SG 10534**

Installation profile




**SG 10539**

Bracket




**SG 10574**

Bracket cover



**SG 10690**

Spacer



**SG 11198**

Bracket