



# SG 2320

---



## PRODUCT INFORMATION

- **Operation:** chain
- **Range:** S - M
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016
- **Fabrics:** refer to Silent Gliss fabric collection

### **Features:**


- 1-to-1 gear drive
- Stainless steel bead chain
- Enclosed headrail

# SYSTEM SPECIFICATIONS


## A. SYSTEM DIMENSIONS



3 m



60 cm



3 m




9 m<sup>2</sup>




2.5 kg

## B. PROFILE


### Profile information




**SG 2321**  
Profile




**SG 8214**  
Profile ø 18 mm



**SG 2004**  
Bottom bar 20x7 mm




**SG 2135**  
Rod steel ø 3 mm



**SG 2137**  
Rod fiberglass ø 4 mm

## C. HOW TO MEASURE



- A: System width
- B: System height
- C: Chain height
- D: Safety retainer SG 10731 min. 150 cm above floor

## D. SPECIFICATION

### TEXT

#### EN

Silent Gliss SG 2320 Chain Operated Roman Blind Headrail System. Comprises headrail SG 2321 made to measure and powder coated in white. Profile SG 8214 with cord holder SG 2323 and detachable cord lock SG 2322 for easy dismantling when washing the fabric. Cord SG 2216 and metal bead chain SG 4845. Top fix using clip bracket SG 2616. Wall fix with SG Smart Fix and SG 2616/SG 2643 at max. 90cm between fixing points. Fabric to be attached to headrail profile using loop tape. Fabric make up according to type A-D in the system description. For hardfold, the curtain should be delivered with rods SG2144 / SG 2135 / SG 2135. Child Safety components included, compliant to Child Safety Legislation EN 13120. Fabric to be chosen from the Silent Gliss fabric range, Price Groups 1-4.

#### SV

Silent Gliss SG 2320 kedjemanövrerat hissgardinsystem med toppkassett. Levereras komplett i specificerat mått innefattande kassett SG SG 2321 vitlack. Profil SG 8214 med linhållare SG 2323 med avtagbart linlås SG 2322 för enkel nermontering av gardinen utan behov av omträdning efter tvätt. Lina SG2216 och metallkedja SG 4845. Takmontering med SG 2616. Vägmontering med SG Smart Fix i kombination med SG 2616/SG 2643. Max. c/c 900 mellan fästpunkter. Textil fästes mot kassett med kardborrtape. Sömnad typ A-D enligt systembeskrivning. Gardin med tvärstag levereras med tvärstag SG 2144 / SG 2137 / SG 2135. Barnsäkerhetsdetaljer inkluderade vilka uppfyller barnsäkerhetsnorm EN 13120. Textil från Silent Gliss textilprogram i prisgrupp 1-4.

#### NO

Silent Gliss SG2320 Kjedefbetjent liftgardin med toppkasse. Leveres komplett på spesifisert mål. Består av kassett SG2321 hvitlakkert. Profil SG8214, med snorholder SG2323 og avtagbar snorlås SG2322 for enkel demontering, og for å unngå ny trekking av tråder etter vask. Tråd SG2216 og metallkjede SG4845. Takmontering med SG2616. Veggmontering SG Smart fix i kombinasjon med SG2616/SG2643. Max c/c 900 mellom festepunktene. Tekstilen festes i kassetten med borrelås. Søm type A-D i.h.t. systembeskrivelse. Gardiner med spiler leveres med spile SG2144/SG2137/SG2135. Oppfyller krave til barnesikkerhetsnormen EN13120. Tekstiler fra Silent Gliss tekstilprogram i prisgruppe 1-4.

#### DA


Silent Gliss SG 2320 kædestyret rullegardinsystem med topkassette. Består af topkassette SG 2321 i specificerede mål og med hvid pulverlakering. Profil SG 8214 med snorholder SG 2323 og aftagelig snorlås SG 2322, så det er nemt at skille ad, når stoffet skal vaskes. Snor SG 2216 og metalkæde SG 4845. Fastgøres i loftet med clipsbeslag SG2616. Vægmonteres med SG Smart Fix og SG 2616/SG 2643 med en afstand på 90 cm mellem fastgøringspunkterne. Stoffet fastgøres til kassetten med burrelås. Stoffets søm i henhold til type A-D i systembeskrivelsen. Gardin med tværstang bør leveres med stængerne SG2144 / SG 2135 / SG 2135. Børnesikkerhedskomponenter medfølger. Overholder lovgivning om børnesikkerhed efter EN 13120. Stoffet vælges fra Silent Gliss stofprogrammet, prisgrupper 1-4.

# FITTING

## A. FITTING INFORMATION


### Fixing points


For detailed fitting information, visit the Silent Gliss website.



## B. CEILING FITTING

### Bracket SG 2616







**SG 2616**  
Bracket

**C. WALL FITTING**


**Smart Fix**



**Smart Fix SG 11200 - SG 11205 and bracket SG 2616:**  
Screw SG 10395 (M4x6) needed.




**Square Smart Fix SG 11210 - SG 11215 and bracket SG 2616:**  
Screw SG 10395 (M4x6) needed.



**Universal Smart Fix SG 11154 - SG 11156 and bracket SG 2616:**  
Screw SG 10492 (M4x8) needed.

Smart Fix	X mm
SG 11200 / SG 11210	70-76
SG 11201 / SG 11211	90-96
SG 11202 / SG 11212	110-116
SG 11203 / SG 11213	130-136
SG 11204 / SG 11214	160-166
SG 11205 / SG 11215	210-216
SG 11154	126-154
SG 11155	156-184
SG 11156	206-234




**SG 2616**  
Bracket




**SG 10395**  
Pan head screw M4x6




**SG 10492**  
Pan head screw M4x8




**SG 11200**  
Smart Fix 60 mm




**SG 11201**  
Smart Fix 80 mm




**SG 11202**  
Smart Fix 100 mm




**SG 11203**  
Smart Fix 120 mm




**SG 11204**  
Smart Fix 150 mm




**SG 11205**  
Smart Fix 200 mm




**SG 11210**  
Square Smart Fix 60 mm




**SG 11211**  
Square Smart Fix 80 mm




**SG 11212**  
Square Smart Fix 100 mm




**SG 11213**  
Square Smart Fix 120 mm




**SG 11214**  
Square Smart Fix 150 mm




**SG 11215**  
Square Smart Fix 200 mm



**SG 11154**  
Universal Smart Fix 120 mm




**SG 11155**  
Universal Smart Fix 150 mm






**SG 11156**  
Universal Smart Fix 200 mm

## Bracket SG 2343




**SG 2343**  
Bracket 46 mm


**D. FITTING WITH  
SIDE GUIDE  
OPTION**




**SG 2338**  
Side guide wire holder




**SG 8235**  
Side guide wire base short




**SG 8236**  
Side guide wire base long



**SG 8237**  
Side guide wire holder




**SG 8249**  
Side guide device



**SG 10120**  
Side guide wire ø 0.9 mm


# SYSTEM OPTIONS

**A. FABRIC MAKE-UP**




**Type A**

- A: Loop tape SG 3074
- B: Cord SG 2216
- C: Child safety hook set SG 3164
- D: Hollow hem
- E: Bottom bar SG 2004
- F: Child safety: max. distance 200 mm



### Type B


- A: Hollow hem
- B: Child safety eyelet hard fold SG 3069
- C: Rod SG 2135
- D: Cord SG 2216
- E: Child safety hook set SG 3164



### Type C

- A: Child safety eyelet set SG 3161
- B: Tube SG 2135 / SG 2137
- C: Cord SG 2216
- D: Child safety hook set SG 3164
- E: Option: tube SG 2135 / SG 2137 can be installed to room side

## B. SIDE GUIDES



### Additional parts:















- 2x SG 2338 Side guide wire holder
- 2x SG 8235 Side guide wire base short
- 2x SG 8237 Side guide wire holder
- 4x SG 8249 Side guide device
- 2x SG 10120 Side guide wire  $\varnothing$  0.9 mm








### Note:

- Up to 15° from vertical















# PARTS

## A. STANDARD PARTS























	<b>SG 2004</b> Bottom bar 20x7 mm
	<b>SG 2216</b> Cord $\varnothing$ 0.85 mm
	<b>SG 2221</b> Velcro tape
	<b>SG 2321</b> Profile
	<b>SG 2322</b> Pin
	<b>SG 2323</b> Shell
	<b>SG 2327</b> Tube adapter
	<b>SG 2328</b> Tube adapter
	<b>SG 2335</b> Drive case 1:1
	<b>SG 2336</b> Support
	<b>SG 2337</b> End cover
	<b>SG 2339</b> Cover
	<b>SG 2341</b> Chain wheel for steel bead chain
	<b>SG 2344</b> Sleeve for metal bead chain

	<b>SG 2539</b> Tape
	<b>SG 2616</b> Bracket
	<b>SG 3164</b> Child safety hook set
	<b>SG 4845</b> Bead chain metal $\varnothing$ 4.5 mm
	<b>SG 8214</b> Profile $\varnothing$ 18 mm
	<b>SG 10139</b> Countersunk screw 2.9x6.5
	<b>SG 10731</b> Child safety retainer set

## B. OPTIONAL PARTS

	<b>SG 2135</b> Rod steel $\varnothing$ 3 mm
	<b>SG 2137</b> Rod fiberglass $\varnothing$ 4 mm
	<b>SG 2333</b> Chain wheel for plastic bead chain
	<b>SG 2334</b> Sleeve for plastic bead chain
	<b>SG 2338</b> Side guide wire holder
	<b>SG 2343</b> Bracket 46 mm
	<b>SG 2865</b> Bead chain connector $\varnothing$ 4.6 mm
	<b>SG 2872</b> Bead chain plastic $\varnothing$ 4.6 mm
	<b>SG 3055</b> Hook
	<b>SG 3069</b> Child safety eyelet
	<b>SG 3074</b> Loop tape
	<b>SG 3161</b> Child safety eyelet set
	<b>SG 3340</b> Cord/chain weight
	<b>SG 8235</b> Side guide wire base short



	<b>SG 8236</b> Side guide wire base long		<b>SG 11205</b> Smart Fix 200 mm
	<b>SG 8237</b> Side guide wire holder		<b>SG 11210</b> Square Smart Fix 60 mm
	<b>SG 8249</b> Side guide device		<b>SG 11211</b> Square Smart Fix 80 mm
	<b>SG 10120</b> Side guide wire ø 0.9 mm		<b>SG 11212</b> Square Smart Fix 100 mm
	<b>SG 10395</b> Pan head screw M4x6		<b>SG 11213</b> Square Smart Fix 120 mm
	<b>SG 10492</b> Pan head screw M4x8		<b>SG 11214</b> Square Smart Fix 150 mm
	<b>SG 11154</b> Universal Smart Fix 120 mm		<b>SG 11215</b> Square Smart Fix 200 mm
	<b>SG 11155</b> Universal Smart Fix 150 mm		<b>SG 11482</b> Ring
	<b>SG 11156</b> Universal Smart Fix 200 mm		
	<b>SG 11200</b> Smart Fix 60 mm		
	<b>SG 11201</b> Smart Fix 80 mm		
	<b>SG 11202</b> Smart Fix 100 mm		
	<b>SG 11203</b> Smart Fix 120 mm		
	<b>SG 11204</b> Smart Fix 150 mm		





