



SG 2345



PRODUCT INFORMATION


- **Operation:** motorised (battery operated)
- **Range:** S - M
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016
- **Fabrics:** refer to Silent Gliss fabric collection

Features:

- Various control options
- Easy exchange of batteries
- Enclosed headrail


SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS




B. PROFILE


Profile information




SG 2351
Profile



SG 2352
Profile ø 50 mm




SG 2004
Bottom bar 20x7 mm



SG 2006
Bottom bar 28x3 mm




SG 2135
Rod steel ø 3 mm



SG 2137
Rod fiberglass ø 4 mm

C. HOW TO MEASURE



A: System width
B: System height

D. SPECIFICATION

TEXT

EN

Silent Gliss SG 2345 Roman Blind Headrail System with battery driven motor. Comprises headrail SG 2351 made to measure and powder coated in white. Profile SG 2352 with cord holder SG 2358 and detachable cord lock SG 2357 for easy dismantling when washing the fabric. Cord SG 2216. Integral motor SG 11076 and battery pack SG 11077 with 8 no. lithium batteries SG 11099. To be supplied with radio wall or hand held transmitter SG 10146-48 / SG 10949-51. Top fix using clip bracket SG 3003. Wall fix with SG Smart Fix and SG 3003 / SG 2521 at max. 90cm between fixing points. Fabric to be attached to headrail profile using loop tape. Fabric make up according to type A-D in the system description. For hardfold, the curtain should be delivered with rods SG2144 / SG 2135 / SG 2135. Child Safety components included, compliant to Child Safety Legislation EN 13120. Fabric to be chosen from the Silent Gliss fabric range, Price Groups 1-4.

SV

Silent Gliss SG 2345 hissgardinsystem med toppkassett och batteridrivnen motor. Levereras komplett i specificerat mått innefattande kassett SG SG 2351 vitlack. Profil SG 2352 med linhållare SG2358 med avtagbart linlås 2357 för enkel nermontering av gardinen utan behov av omträdning efter tvätt. Lina SG2216). Integrerad motor SG 11076 och batterihållare SG 11077 med 8 st. lithium batterier SG 11099. Att levereras med fjärrkontroll med radio handhållen / för väggmontage SG 10146-48 / SG 10949-51. Takmontering med SG 3003. Vägmontering med SG Smart Fix i kombination med SG 3003 / SG 2521. Max. c/c 900 mellan fästpunkter. Textil fästes mot kassett med kardborreteape. Sömnad typ A-D enligt systembeskrivning. Gardin med tvärstag levereras med tvärstag SG 2144 / SG 2137 / SG 2135. Barnsäkerhetsdetaljer inkluderade vilka uppfyller barnsäkerhetsnorm EN 13120. Textil från Silent Gliss textilprogram i prisgrupp 1-4.

NO

Silent Gliss SG2345 batteridrevet liftgardin med toppkasse. Leveres komplett på spesifisert mål. Består av kassett SG2351 hvitlakkert. Profil SG2353, med avtagbar snorlås SG2357 for enkel demontering, og for å unngå ny trekking av tråder etter vask. Snor SG2216. Integrert motor SG11076 og batteriholder SG11077 med 8 stk lithium batterier AS11099. Leveres med (fjernkontroll) radio mobil/veggmontert SG10146-48/SG10949-51. Takmontering med SG3003. Veggmontering SG Smart fix i kombinasjon med SG3003/SG2521. Max c/c 900 mellom festepunktene. Tekstilen festes i kassetten med borrelås. Søm type A-D i.h.t. systembeskrivelse. Gardiner med spiler leveres med spile SG2144/SG2137/SG2135. Oppfyller krave til barnesikkerhetsnormen EN13120. Tekstiler fra Silent Gliss tekstilprogram i prisgruppe 1-4.

DA


Silent Gliss SG 2345 rullegardinsystem med topkassette og batteridreven motor. Består af topkassette SG 2351 i specificerede mål og med hvid pulverlakering. Profil SG 2352 med snorholder SG 2358 og aftagelig snorlås SG 2357, så det er nemt at skille ad, når stoffet skal vaskes. Snor SG 2216. Integeret motor SG 11076 og batteripakke SG 11077 med 8 stk. litiumbatterier SG 11099. Leveres med radio væg- eller håndholdt sender SG 10146-48 / SG 10949-51. Fastgøres i loftet med clipsbeslag SG 3003. Vægmonteres med SG Smart Fix og SG 3003 / SG 2521 med en afstand på 90 cm mellem fastgøringspunkterne. Stoffet fastgøres til kassetten med burrelås. Stoffets søm i henhold til type A-D i systembeskrivelsen. Gardin med tværstang bør leveres med stængerne SG2144 / SG 2135 / SG 2135. Børnesikkerhedskomponenter medfølger. Overholder lovgivning om børnesikkerhed efter EN 13120. Stoffet vælges fra Silent Gliss stofprogrammet, prisgrupper 1-4.

FITTING

A. FITTING INFORMATION



Fixing points

For detailed fitting information, visit the Silent Gliss website.





B. CEILING FITTING

Clamp SG 3003



SG 3003
Clamp



Bracket SG 2521



SG 2521
Bracket


C. WALL FITTING

Bracket SG 2363




SG 2363
Bracket 68 mm

Smart Fix




Smart Fix SG 11200 - SG 11204 and bracket SG 2521:

Screw SG 10395 (M4x6) needed.



Square Smart Fix SG 11210 - SG 11214 and bracket SG 2521:


Screw SG 10395 (M4x6) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 2521:

Screw SG 10492 (M4x8) needed.

Smart Fix	X mm
SG 11200 / SG 11210	80-84
SG 11201 / SG 11211	100-104
SG 11202 / SG 11212	120-124
SG 11203 / SG 11213	140-144
SG 11204 / SG 11214	170-174
SG 11154	134-162
SG 11155	164-192
SG 11156	214-242



SG 2521

Bracket




SG 10395

Pan head screw M4x6




SG 10492

Pan head screw M4x8




SG 11200

Smart Fix 60 mm




SG 11201

Smart Fix 80 mm




SG 11202

Smart Fix 100 mm




SG 11203

Smart Fix 120 mm




SG 11204

Smart Fix 150 mm




SG 11210

Square Smart Fix 60 mm




SG 11211

Square Smart Fix 80 mm




SG 11212

Square Smart Fix 100 mm




SG 11213

Square Smart Fix 120 mm




SG 11214

Square Smart Fix 150 mm




SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm




SG 11156

Universal Smart Fix 200 mm

SYSTEM OPTIONS

A. FABRIC MAKE-UP



Type A

A: Loop tape SG 3074


B: Cord SG 2216

C: Child safety hook set SG 3164

D: Hollow hem

E: Bottom bar SG 2004

F: Child safety: max. distance 200 mm



Type B


A: Hollow hem

B: Child safety eyelet hard fold SG 3069

C: Rod SG 2135

D: Cord SG 2216

E: Child safety hook set SG 3164



Type C

A: Child safety eyelet set SG 3161


B: Tube SG 2135 / SG 2137

C: Cord SG 2216


D: Child safety hook set SG 3164

E: Option: tube SG 2135 / SG 2137 can be installed to room side


B. BATTERY EXCHANGE




A



B



C



D

MOTOR & CONTROLS

A. MOTOR FEATURES

Motor	SG 11076
Motor Features	
Soft start / stop	•
Built-in receiver	•
Electronic end-stop	•
Electronic revolution counter (unlimited revolution)	•
IP class	IP 44
Control Features	
SG Control A	•

B. MOTOR
SPECIFICATIONS

Motor	Min. system width	Voltage	Current	Speed	Frequency receiver
SG 11076	60 cm	12 V DC	0.55 A	30 rpm	433 MHz

C. OPERATION
METHODS

See catalogue "controls" for details.







SG Control A











Various radio hand-held and wall transmitters available.









PARTS














A. STANDARD PARTS

	SG 2004 Bottom bar 20x7 mm
	SG 2216 Cord ø 0.85 mm
	SG 2221 Velcro tape
	SG 2351 Profile
	SG 2352 Profile ø 50 mm
	SG 2353 End cover
	SG 2354 End cover
	SG 2357 Pin
	SG 2358 Shell
	SG 2359 Support
	SG 2361 Tube adapter
	SG 2368 Motor plate
	SG 2539 Tape
	SG 3003 Clamp

	SG 3164 Child safety hook set
	SG 10139 Countersunk screw 2.9x6.5
	SG 10467 Countersunk head screw 2.9x13
	SG 10946 Radio hand held 1 channel
	SG 11071 Motor drive
	SG 11074 Tube adapter
	SG 11076 Motor 12V DC, 1.2/30
	SG 11077 Battery box
	SG 11085 Battery box holder
	SG 11099 AA Energizer Ultimate lithium batteries
	SG 11103 Warning sticker

B. OPTIONAL PARTS

	SG 2006 Bottom bar 28x3 mm
	SG 2135 Rod steel ø 3 mm
	SG 2137 Rod fiberglass ø 4 mm
	SG 2363 Bracket 68 mm
	SG 2521 Bracket
	SG 3055 Hook
	SG 3074 Loop tape
	SG 3161 Child safety eyelet set
	SG 10395 Pan head screw M4x6
	SG 10492 Pan head screw M4x8
	SG 10947 Radio hand held 2+1 channel
	SG 10948 Radio hand held 6+1 channel
	SG 10949 Radio wall transmitter 1 channel
	SG 10950 Radio wall transmitter 2 channel

	SG 10951 Radio wall transmitter 5+1 channel		SG 11482 Ring
	SG 11154 Universal Smart Fix 120 mm		
	SG 11155 Universal Smart Fix 150 mm		
	SG 11156 Universal Smart Fix 200 mm		
	SG 11200 Smart Fix 60 mm		
	SG 11201 Smart Fix 80 mm		
	SG 11202 Smart Fix 100 mm		
	SG 11203 Smart Fix 120 mm		
	SG 11204 Smart Fix 150 mm		
	SG 11210 Square Smart Fix 60 mm		
	SG 11211 Square Smart Fix 80 mm		
	SG 11212 Square Smart Fix 100 mm		
	SG 11213 Square Smart Fix 120 mm		
	SG 11214 Square Smart Fix 150 mm		

