ROMAN BLIND SYSTEMS

08/2024/V1

SilentGliss

GENERAL NOTES

Dimensions

- *Measurements are in mm except where indicated.*
- *Max. kg relates to fabric incl. accessories (bottom bars, cross rods, etc.).*
- *Stack size is typically 15-20% of system height.*

Fitting

- *Installation by qualified fitter only.*
- *Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.*
- *Qualified fitter must use appropriate screws / fixings for each situation.*
- *Electrical installations must be carried out according to Silent Gliss wiring diagrams and conform to local regulations.*
- *Check space for cables and plugs!*

Child Safety

- *All relevant Silent Gliss systems correspond to child safety EN 13120.*
- *All parties involved must comply with EN 13120.*

APPLICATION CHART

PAGE	SYSTEM	OPERATION	DIMENSION	← max. →	↑ max. ↓	kg max.
5	**SG 2120**		L	4 m	6 m	8 kg
13	**SG 2210**		S - M	3 m	3 m	2 kg
21	**SG 2305**		S - M	3 m	3.4 m	4 kg
29	**SG 2320**		S - M	3 m	3 m	2.5 kg
39	**SG 2345**		S - M	6 m	6 m	2.5 kg
49	**SG 2350**		S - L	6 m	6 m	15 kg

SG 2120

PRODUCT INFORMATION

- ***Operation:*** *chain*
- ***Range:*** *L*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016, anodised aluminum*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *5-to-1 gear drive*
- *Bead chain*

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS

← max. →	max. ↕	kg max.	m² max.
4 m	*6 m*	*8 kg*	*24 m²*

B. PROFILE

Profile Information

SG 2211
Velcro profile

SG 2004
Bottom bar 20x7 mm

SG 2111
Shaft

SG 2135
Rod steel ø 3 mm

SG 2137
Rod fiberglass ø 4 mm

C. HOW TO MEASURE

A: System width
B: System height
C: Chain height
D: Safety retainer SG 10731 min. 150 cm above floor

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points

B. CEILING FITTING

Bracket SG 3603

SG 3603
Bracket

C. WALL FITTING

Bracket SG 3655, SG 3660

Bracket	*X mm*
SG 3655	*58*
SG 3660	*73*

SG 3655
Bracket 50 mm

SG 3660
Bracket 65 mm

Smart Fix

Smart Fix SG 11200 - SG 11205 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.

Square Smart Fix SG 11210 - SG 11215 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.

Universal Smart Fix 11154-11156 and bracket SG 3603:
Screw SG 10277 (M4x12) needed.

Smart Fix	*X mm*
SG 11200 / SG 11210	*80*
SG 11201 / SG 11211	*100*
SG 11202 / SG 11212	*120*
SG 11203 / SG 11213	*140*
SG 11204 / SG 11214	*170*
SG 11205 / SG 11215	*220*
SG 11154	*132-160*
SG 11155	*162-190*
SG 11156	*212-240*

SG 3603
Bracket

SG 10277
Pan head screw M4x12

SG 10492
Pan head screw M4x8

SG 11200
Smart Fix 60 mm

SG 11201
Smart Fix 80 mm

SG 11202
Smart Fix 100 mm

SG 11203
Smart Fix 120 mm

SG 11204
Smart Fix 150 mm

SG 11205
Smart Fix 200 mm

SG 11210
Square Smart Fix 60 mm

SG 11211
Square Smart Fix 80 mm

SG 11212
Square Smart Fix 100 mm

SG 11213
Square Smart Fix 120 mm

SG 11214
Square Smart Fix 150 mm

SG 11215
Square Smart Fix 200 mm

SG 11154
Universal Smart Fix 120 mm

SG 11155
Universal Smart Fix 150 mm

SG 11156
Universal Smart Fix 200 mm

SYSTEM OPTIONS

A. FABRIC MAKE-UP

Type A (standard)

A: Tape SG 2164 / SG 3074
B: Tape SG 2163
C: Child safety hook set SG 3164
D: Hollow hem
E: Bottom bar SG 2004
F: Child safety: max. distance 200 mm

Type B (rod)

A: Hollow hem
B: Child safety eyelet hard fold SG 3069
C: Rod SG 2135 / SG 2137
D: Tape SG 2163
E: Child safety hook set SG 3164

Type C (rod)

A: Child safety eyelet set SG 3161
B: Rod SG 2135 / SG 2137
C: Tape SG 2163
D: Child safety hook set SG 3164
E: Option: Rod SG 2135 / SG 2137 can be installed to room side

PARTS

A. STANDARD PARTS

SG 2004
Bottom bar 20x7 mm

SG 2049
Chain drive

SG 2059
Safety clip

SG 2081
Take-up spool

SG 2111
Shaft

SG 2163
Tape

SG 2179
End cover

SG 2211
Velcro profile

SG 2539
Tape

SG 2865
Bead chain connector ø 4.6 mm

SG 2872
Bead chain plastic ø 4.6 mm

SG 3164
Child safety hook set

SG 3603
Bracket

SG 10731
Child safety retainer set

B. OPTIONAL PARTS

SG 2135
Rod steel ø 3 mm

SG 2137
Rod fiberglass ø 4 mm

SG 2164
Ring tape

SG 3055
Hook

SG 3069
Child safety eyelet

SG 3074
Loop tape

SG 3161
Child safety eyelet set

SG 3340
Cord/chain weight

SG 3655
Bracket 50 mm

SG 3660
Bracket 65 mm

SG 4845
Bead chain metal ø 4.5 mm

SG 10277
Pan head screw M4x12

SG 10492
Pan head screw M4x8

SG 11154
Universal Smart Fix 120 mm

SG 11155
Universal Smart Fix 150 mm

SG 11156
Universal Smart Fix 200 mm

SG 11200
Smart Fix 60 mm

SG 11201
Smart Fix 80 mm

SG 11202
Smart Fix 100 mm

SG 11203
Smart Fix 120 mm

SG 11204
Smart Fix 150 mm

SG 11205
Smart Fix 200 mm

SG 11210
Square Smart Fix 60 mm

SG 11211
Square Smart Fix 80 mm

SG 11212
Square Smart Fix 100 mm

SG 11213
Square Smart Fix 120 mm

SG 11214
Square Smart Fix 150 mm

SG 11215
Square Smart Fix 200 mm

SG 11482

Ring

SG 2210

PRODUCT INFORMATION

- ***Operation:*** *chain*
- ***Range:*** *S - M*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *1-to-1 gear drive*
- *Bead chain*
- *Easy washing / changing of the fabric*

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS

3 m

3 m

2 kg

9 m²

B. PROFILE

Profile information

SG 2211
Velcro profile

SG 1003p
Profile

SG 2004
Bottom bar 20x7 mm

C. HOW TO MEASURE

A: System width
B: System height
C: Chain height
D: Safety retainer SG 10731 min. 150 cm above floor

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points

B. CEILING FITTING

Bracket SG 3603

SG 3603
Bracket

C. WALL FITTING

Bracket SG 3655, SG 3660

Bracket	*X mm*
SG 3655	*58*
SG 3660	*73*

SG 3655
Bracket 50 mm

SG 3660
Bracket 65 mm

Smart Fix

Smart Fix SG 11200 - SG 11205 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.

Smart Fix	*X mm*
SG 11200 / SG 11210	*80*
SG 11201 / SG 11211	*100*
SG 11202 / SG 11212	*120*
SG 11203 / SG 11213	*140*
SG 11204 / SG 11214	*170*
SG 11205 / SG 11215	*220*
SG 11154	*132-160*
SG 11155	*162-190*
SG 11156	*212-240*

Square Smart Fix SG 11210 - SG 11215 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.

Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3603:
Screw SG 10277 (M4x12) needed.

SG 3603
Bracket

SG 10277
Pan head screw M4x12

SG 10492
Pan head screw M4x8

SG 11200
Smart Fix 60 mm

SG 11201
Smart Fix 80 mm

SG 11202
Smart Fix 100 mm

SG 11203
Smart Fix 120 mm

SG 11204
Smart Fix 150 mm

SG 11205
Smart Fix 200 mm

SG 11210
Square Smart Fix 60 mm

SG 11211
Square Smart Fix 80 mm

SG 11212
Square Smart Fix 100 mm

SG 11213
Square Smart Fix 120 mm

SG 11214
Square Smart Fix 150 mm

SG 11215
Square Smart Fix 200 mm

SG 11154
Universal Smart Fix 120 mm

SG 11155
Universal Smart Fix 150 mm

SG 11156
Universal Smart Fix 200 mm

SYSTEM OPTIONS

A. FABRIC MAKE-UP

Type A (standard)

A: Loop tape SG 3074
B: Cord SG 2216
C: Child safety fastener set SG 3167
D: Hollow hem
E: Bottom bar SG 2004
F: Child safety: max. distance 200 mm!

Type B (rod)

A: Hollow hem
B: Child safety eyelet hard fold SG 3069
C: Rod SG 2135
D: Tape
E: Child safety hook set SG 3167

Type C (rod)

A: Child safety eyelet set SG 3161
B: Rod SG 2135 / SG 2137
C: Tape
D: Child safety hook set SG 3167
E: Option: rod SG 2135 / SG 2137 can be installed to room side

PARTS

A. STANDARD PARTS

SG 1003p
Profile

SG 2004
Bottom bar 20x7 mm

SG 2049
Chain drive

SG 2101
Eyelet

SG 2179
End cover

SG 2201
Eyelet

SG 2211
Velcro profile

SG 2212
Tube adapter

SG 2213
Tube adapter

SG 2215
Eyelet

SG 2216
Cord ø 0.85 mm

SG 2219
Eyelet

SG 2227
Pin

SG 2539
Tape

SG 2865
Bead chain connector ø 4.6 mm

SG 2872
Bead chain plastic ø 4.6 mm

SG 3167
Child safety fastener set

SG 3603
Bracket

SG 10731
Child safety retainer set

B. OPTIONAL PARTS

SG 2135
Rod steel ø 3 mm

SG 2137
Rod fiberglass ø 4 mm

SG 3055
Hook

SG 3069
Child safety eyelet

SG 3074
Loop tape

SG 3161
Child safety eyelet set

SG 3340
Cord/chain weight

SG 3655
Bracket 50 mm

SG 3660
Bracket 65 mm

SG 10277
Pan head screw M4x12

SG 10492
Pan head screw M4x8

SG 11154
Universal Smart Fix 120 mm

SG 11155
Universal Smart Fix 150 mm

SG 11156
Universal Smart Fix 200 mm

SG 11200

Smart Fix 60 mm

SG 11201

Smart Fix 80 mm

SG 11202

Smart Fix 100 mm

SG 11203

Smart Fix 120 mm

SG 11204

Smart Fix 150 mm

SG 11205

Smart Fix 200 mm

SG 11210

Square Smart Fix 60 mm

SG 11211

Square Smart Fix 80 mm

SG 11212

Square Smart Fix 100 mm

SG 11213

Square Smart Fix 120 mm

SG 11214

Square Smart Fix 150 mm

SG 11215

Square Smart Fix 200 mm

SG 11482

Ring

SG 2305

PRODUCT INFORMATION

- ***Operation:*** *chain*
- ***Range:*** *S - M*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016, black RAL 9005*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *4-to-1 gear drive*
- *Stainless steel bead chain*
- *Enclosed headrail*
- *Integrated magnetic child safety end-set*

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS

3 m

60 cm

3.4 m

10 m²

4 kg

B. PROFILE

Profile information

SG 2301
Velcro profile

SG 2309
Shaft

SG 2004
Bottom bar 20x7 mm

SG 2135
Rod steel ø 3 mm

SG 2137
Rod fiberglass ø 4 mm

C. HOW TO MEASURE

Breakaway child safety chain drive SG 2307

A: System width
B: System height
C: Chain height

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points

B. CEILING FITTING

Bracket SG 2302

SG 2302

Bracket

Bracket SG 2346

SG 2346

Bracket

C. WALL FITTING

Smart Fix

Smart Fix SG 11200 - SG 11205 and bracket SG 2302:
Screw SG 10395 (M4x6) needed.

Square Smart Fix SG 11210 - SG 11215 and bracket SG 2302:
Screw SG 10395 (M4x6) needed.

Universal Smart Fix SG 11154 - SG 11156 and bracket SG 2302:
Screw SG 10492 (M4x8) needed.

Smart Fix	*X mm*
SG 11200 / SG 11210	*71-79*
SG 11201 / SG 11211	*91-99*
SG 11202 / SG 11212	*111-119*
SG 11203 / SG 11213	*131-139*
SG 11204 / SG 11214	*161-169*
SG 11205 / SG 11215	*211-219*
SG 11154	*126-152*
SG 11155	*156-182*
SG 11156	*206-232*

SG 2302
Bracket

SG 10395
Pan head screw M4x6

SG 10492
Pan head screw M4x8

SG 11200
Smart Fix 60 mm

SG 11201
Smart Fix 80 mm

SG 11202
Smart Fix 100 mm

SG 11203
Smart Fix 120 mm

SG 11204
Smart Fix 150 mm

SG 11205
Smart Fix 200 mm

SG 11210
Square Smart Fix 60 mm

SG 11211
Square Smart Fix 80 mm

SG 11212
Square Smart Fix 100 mm

SG 11213
Square Smart Fix 120 mm

SG 11214
Square Smart Fix 150 mm

SG 11215
Square Smart Fix 200 mm

SG 11154
Universal Smart Fix 120 mm

SG 11155
Universal Smart Fix 150 mm

SG 11156
Universal Smart Fix 200 mm

SYSTEM OPTIONS

A. FABRIC MAKE-UP

Type A (standard)

A: Loop tape SG 3074
B: Child safety hook set SG 3164
C: Hollow hem
D: Bottom bar SG 2004
E: Child safety: max. distance 200 mm

Type B (rod)

A: Hollow hem
B: Child safety eyelet hard fold SG 3069
C: Rod SG 2135
D: Child safety hook set SG 3164

Type C (rod)

A: Child safety eyelet set SG 3161
B: Rod SG 2135 / SG 2137
C: Child safety hook set SG 3164
D: Option: rod SG 2135 / SG 2137 can be installed to room side

PARTS

A. STANDARD PARTS

SG 2004
Bottom bar 20x7 mm

SG 2301
Velcro profile

SG 2307
Child safety chain drive set 4:1

SG 2308
Cord drum with lift cord

SG 2309
Shaft

SG 2311
Bead chain metal ø 4.5 mm

SG 2539
Tape

SG 3164
Child safety hook set

B. OPTIONAL PARTS

SG 2135
Rod steel ø 3 mm

SG 2137
Rod fiberglass ø 4 mm

SG 2144
Profile ø 8 mm

SG 2164
Ring tape

SG 2302
Bracket

SG 2346
Bracket

SG 3055
Hook

SG 3069
Child safety eyelet

SG 3074
Loop tape

SG 3161
Child safety eyelet set

SG 10395
Pan head screw M4x6

SG 10492
Pan head screw M4x8

SG 11154
Universal Smart Fix 120 mm

SG 11155
Universal Smart Fix 150 mm

SG 11156
Universal Smart Fix 200 mm

SG 11200
Smart Fix 60 mm

SG 11201
Smart Fix 80 mm

SG 11202
Smart Fix 100 mm

SG 11203
Smart Fix 120 mm

SG 11204
Smart Fix 150 mm

SG 11205
Smart Fix 200 mm

SG 11210
Square Smart Fix 60 mm

SG 11211
Square Smart Fix 80 mm

SG 11212
Square Smart Fix 100 mm

SG 11213
Square Smart Fix 120 mm

SG 11214
Square Smart Fix 150 mm

SG 11215
Square Smart Fix 200 mm

SG 11482
Ring

SG 2320

PRODUCT INFORMATION

- ***Operation:*** *chain*
- ***Range:*** *S - M*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *1-to-1 gear drive*
- *Stainless steel bead chain*
- *Enclosed headrail*

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS

3 m

60 cm

3 m

9 m²

2.5 kg

B. PROFILE

Profile information

SG 2321
Profile

SG 8214
Profile ø 18 mm

SG 2004
Bottom bar 20x7 mm

SG 2135
Rod steel ø 3 mm

SG 2137
Rod fiberglass ø 4 mm

C. HOW TO MEASURE

A: System width
B: System height
C: Chain height
D: Safety retainer SG 10731 min. 150 cm above floor

D. SPECIFICATION TEXT

EN

Silent Gliss SG 2320 Chain Operated Roman Blind Headrail System. Comprises headrail SG 2321 made to measure and powder coated in white. Profile SG 8214 with cord holder SG 2323 and detachable cord lock SG 2322 for easy dismantling when washing the fabric. Cord SG 2216 and metal bead chain SG 4845. Top fix using clip bracket SG 2616. Wall fix with SG Smart Fix and SG 2616/SG 2643 at max. 90cm between fixing points. Fabric to be attached to headrail profile using loop tape. Fabric make up according to type A-D in the system description. For hardfold, the curtain should be delivered with rods SG2144 / SG 2135 / SG 2135. Child Safety components included, compliant to Child Safety Legislation EN 13120. Fabric to be chosen from the Silent Gliss fabric range, Price Groups 1-4.

SV

Silent Gliss SG 2320 kedjemanövrerat hissgardinsystem med toppkassett. Levereras komplett i specificerat mått innefattande kassett SG SG 2321 vitlack. Profil SG 8214 med linhållare SG 2323 med avtagbart linlås SG 2322 för enkel nermontering av gardinen utan behov av omträdning efter tvätt. Lina SG2216 och metallkedja SG 4845. Takmontering med SG 2616. Väggmontering med SG Smart Fix i kombination med SG 2616/SG 2643. Max. c/c 900 mellan fästpunkter. Textil fästes mot kassett med kardborrtape. Sömnad typ A-D enligt systembeskrivning. Gardin med tvärstag levereras med tvärstag SG 2144 / SG 2137 / SG 2135. Barnsäkerhetsdetaljer inkluderade vilka uppfyller barnsäkerhetsnorm EN 13120. Textil från Silent Gliss textilprogram i prisgrupp 1-4.

NO

Silent Gliss SG2320 Kjedebetjent liftgardin med toppkasse. Leveres komplett på spesifisert mål. Består av kassett SG2321 hvitlakkert. Profil SG8214, med snorholder SG2323 og avtagbar snorlås SG2322 for enkel demontering, og for å unngå ny trekking av tråder etter vask. Tråd SG2216 og metallkjede SG4845. Takmontering med SG2616. Veggmontering SG Smart fix i kombinasjon med SG2616/SG2643. Max c/c 900 mellom festepunktene. Tekstilen festes i kassetten med borrelås. Søm type A-D i.h.t. systembeskrivelse. Gardiner med spiler leveres med spile SG2144/SG2137/SG2135. Oppfyller krave til barnesikkerhetsnormen EN13120. Tekstiler fra Silent Gliss tekstilprogram i prisgruppe 1-4.

DA

Silent Gliss SG 2320 kædestyret rullegardinsystem med topkassette. Består af topkassette SG 2321 i specificerede mål og med hvid pulverlakering. Profil SG 8214 med snorholder SG 2323 og aftagelig snorlås SG 2322, så det er nemt at skille ad, når stoffet skal vaskes. Snor SG 2216 og metalkæde SG 4845. Fastgøres i loftet med clipsbeslag SG2616. Vægmonteres med SG Smart Fix og SG 2616/SG 2643 med en afstand på 90 cm mellem fastgøringspunkterne. Stoffet fastgøres til kassetten med burrelås. Stoffets søm i henhold til type A-D i systembeskrivelsen. Gardin med tværstang bør leveres med stængerne SG2144 / SG 2135 / SG 2135. Børnesikkerhedskomponenter medfølger. Overholder lovgivning om børnesikkerhed efter EN 13120. Stoffet vælges fra Silent Gliss stofprogrammet, prisgrupper 1-4.

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points

B. CEILING FITTING

Bracket SG 2616

SG 2616

Bracket

C. WALL FITTING

Smart Fix

Smart Fix SG 11200 - SG 11205 and bracket SG 2616:
Screw SG 10395 (M4x6) needed.

Square Smart Fix SG 11210 - SG 11215 and bracket SG 2616:
Screw SG 10395 (M4x6) needed.

Universal Smart Fix SG 11154 - SG 11156 and bracket SG 2616:
Screw SG 10492 (M4x8) needed.

Smart Fix	*X mm*
SG 11200 / SG 11210	*70-76*
SG 11201 / SG 11211	*90-96*
SG 11202 / SG 11212	*110-116*
SG 11203 / SG 11213	*130-136*
SG 11204 / SG 11214	*160-166*
SG 11205 / SG 11215	*210-216*
SG 11154	*126-154*
SG 11155	*156-184*
SG 11156	*206-234*

SG 2616

Bracket

SG 10395

Pan head screw M4x6

SG 10492

Pan head screw M4x8

SG 11200

Smart Fix 60 mm

SG 11201

Smart Fix 80 mm

SG 11202

Smart Fix 100 mm

SG 11203

Smart Fix 120 mm

SG 11204

Smart Fix 150 mm

SG 11205

Smart Fix 200 mm

SG 11210

Square Smart Fix 60 mm

SG 11211

Square Smart Fix 80 mm

SG 11212

Square Smart Fix 100 mm

SG 11213

Square Smart Fix 120 mm

SG 11214

Square Smart Fix 150 mm

SG 11215

Square Smart Fix 200 mm

SG 11154

Universal Smart Fix 120 mm

SG 11155

Universal Smart Fix 150 mm

SG 11156

Universal Smart Fix 200 mm

Bracket SG 2343

SG 2343

Bracket 46 mm

D. FITTING WITH SIDE GUIDE OPTION

SG 2338
Side guide wire holder

SG 8235
Side guide wire base short

SG 8236
Side guide wire base long

SG 8237
Side guide wire holder

SG 8249
Side guide device

SG 10120
Side guide wire ø 0.9 mm

SYSTEM OPTIONS

A. FABRIC MAKE-UP

Type A

A: Loop tape SG 3074
B: Cord SG 2216
C: Child safety hook set SG 3164
D: Hollow hem
E: Bottom bar SG 2004
F: Child safety: max. distance 200 mm

Type B

A: Hollow hem
B: Child safety eyelet hard fold SG 3069
C: Rod SG 2135
D: Cord SG 2216
E: Child safety hook set SG 3164

Type C

A: Child safety eyelet set SG 3161
B: Tube SG 2135 / SG 2137
C: Cord SG 2216
D: Child safety hook set SG 3164
E: Option: tube SG 2135 / SG 2137 can be installed to room side

B. SIDE GUIDES

Additional parts:

- *2x SG 2338 Side guide wire holder*
- *2x SG 8235 Side guide wire base short*
- *2x SG 8237 Side guide wire holder*
- *4x SG 8249 Side guide device*
- *2x SG 10120 Side guide wire ø 0.9 mm*

Note:

- *Up to 15° from vertical*

PARTS

A. STANDARD PARTS

SG 2004
Bottom bar 20x7 mm

SG 2216
Cord ø 0.85 mm

SG 2221
Velcro tape

SG 2321
Profile

SG 2322
Pin

SG 2323
Shell

SG 2327
Tube adapter

SG 2328
Tube adapter

SG 2335
Drive case 1:1

SG 2336
Support

SG 2337
End cover

SG 2339
Cover

SG 2341
Chain wheel for steel bead chain

SG 2344
Sleeve for metal bead chain

SG 2539
Tape

SG 2616
Bracket

SG 3164
Child safety hook set

SG 4845
Bead chain metal ø 4.5 mm

SG 8214
Profile ø 18 mm

SG 10139
Countersunk screw 2.9x6.5

SG 10731
Child safety retainer set

B. OPTIONAL PARTS

SG 2135
Rod steel ø 3 mm

SG 2137
Rod fiberglass ø 4 mm

SG 2333
Chain wheel for plastic bead chain

SG 2334
Sleeve for plastic bead chain

SG 2338
Side guide wire holder

SG 2343
Bracket 46 mm

SG 2865
Bead chain connector ø 4.6 mm

SG 2872
Bead chain plastic ø 4.6 mm

SG 3055
Hook

SG 3069
Child safety eyelet

SG 3074
Loop tape

SG 3161
Child safety eyelet set

SG 3340
Cord/chain weight

SG 8235
Side guide wire base short

SG 8236

Side guide wire base long

SG 8237

Side guide wire holder

SG 8249

Side guide device

SG 10120

Side guide wire ø 0.9 mm

SG 10395

Pan head screw M4x6

SG 10492

Pan head screw M4x8

SG 11154

Universal Smart Fix 120 mm

SG 11155

Universal Smart Fix 150 mm

SG 11156

Universal Smart Fix 200 mm

SG 11200

Smart Fix 60 mm

SG 11201

Smart Fix 80 mm

SG 11202

Smart Fix 100 mm

SG 11203

Smart Fix 120 mm

SG 11204

Smart Fix 150 mm

SG 11205

Smart Fix 200 mm

SG 11210

Square Smart Fix 60 mm

SG 11211

Square Smart Fix 80 mm

SG 11212

Square Smart Fix 100 mm

SG 11213

Square Smart Fix 120 mm

SG 11214

Square Smart Fix 150 mm

SG 11215

Square Smart Fix 200 mm

SG 11482

Ring

SG 2345

PRODUCT INFORMATION

- ***Operation:*** *motorised (battery operated)*
- ***Range:*** *S - M*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *Various control options*
- *Easy exchange of batteries*
- *Enclosed headrail*

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS

6 m

60 cm

6 m

2.5 kg

B. PROFILE

Profile information

SG 2351
Profile

SG 2352
Profile ø 50 mm

SG 2004
Bottom bar 20x7 mm

SG 2006
Bottom bar 28x3 mm

SG 2135
Rod steel ø 3 mm

SG 2137
Rod fiberglass ø 4 mm

C. HOW TO MEASURE

A: System width
B: System height

D. SPECIFICATION TEXT

EN

Silent Gliss SG 2345 Roman Blind Headrail System with battery driven motor. Comprises headrail SG 2351 made to measure and powder coated in white. Profile SG 2352 with cord holder SG 2358 and detachable cord lock SG 2357 for easy dismantling when washing the fabric. Cord SG 2216. Integral motor SG 11076 and battery pack SG 11077 with 8 no. lithium batteries SG 11099. To be supplied with radio wall or hand held transmitter SG 10146-48 / SG 10949-51. Top fix using clip bracket SG 3003. Wall fix with SG Smart Fix and SG 3003 / SG 2521 at max. 90cm between fixing points. Fabric to be attached to headrail profile using loop tape. Fabric make up according to type A-D in the system description. For hardfold, the curtain should be delivered with rods SG2144 / SG 2135 / SG 2135. Child Safety components included, compliant to Child Safety Legislation EN 13120. Fabric to be chosen from the Silent Gliss fabric range, Price Groups 1-4.

SV

Silent Gliss SG 2345 hissgardinsystem med toppkassett och batteridriven motor. Levereras komplett i specificerat mått innefattande kassett SG SG 2351 vitlack. Profil SG 2352 med linhållare SG2358 med avtagbart linlås 2357 för enkel nermontering av gardinen utan behov av omträdning efter tvätt. Lina SG2216). Integrerad motor SG 11076 och batterihållare SG 11077 med 8 st. lithium batterier SG 11099. Att levereras med fjärrkontroll med radio handhållen / för väggmontage SG 10146-48 / SG 10949-51. Takmontering med SG 3003. Väggmontering med SG Smart Fix i kombination med SG 3003 / SG 2521. Max. c/c 900 mellan fästpunkter. Textil fästes mot kassett med kardborretape. Sömnad typ A-D enligt systembeskrivning. Gardin med tvärstag levereras med tvärstag SG 2144 / SG 2137 / SG 2135. Barnsäkerhetsdetaljer inkluderade vilka uppfyller barnsäkerhetsnorm EN 13120. Textil från Silent Gliss textilprogram i prisgrupp 1-4.

NO

Silent Gliss SG2345 batteridrevet liftgardin med toppkasse. Leveres komplett på spesifisert mål. Består av kassett SG2351 hvitlakkert. Profil SG2353, med avtagbar snorlås SG2357 for enkel demontering, og for å unngå ny trekking av tråder etter vask. Snor SG2216. Integrert motor SG11076 pg batteriholder SG11077 med 8 stk lithium batterier AS11099. Leveres med (fjernkontroll) radio mobil/veggmontert SG10146-48/SG10949-51. Takmontering med SG3003. Veggmontering SG Smart fix i kombinasjon med SG3003/SG2521. Max c/c 900 mellom festepunktene. Tekstilen festes i kassetten med borrelås. Søm type A-D i.h.t. systembeskrivelse. Gardiner med spiler leveres med spile SG2144/SG2137/SG2135. Oppfyller krave til barnesikkerhetsnormen EN13120. Tekstiler fra Silent Gliss tekstilprogram i prisgruppe 1-4.

DA

Silent Gliss SG 2345 rullegardinsystem med topkassette og batteridreven motor. Består af topkassette SG 2351 i specificerede mål og med hvid pulverlakering. Profil SG 2352 med snorholder SG 2358 og aftagelig snorlås SG 2357, så det er nemt at skille ad, når stoffet skal vaskes. Snor SG 2216. Integeret motor SG 11076 og batteripakke SG 11077 med 8 stk. litiumbatterier SG 11099. Leveres med radio væg- eller håndholdt sender SG 10146-48 / SG 10949-51. Fastgøres i loftet med clipsbeslag SG 3003. Vægmonteres med SG Smart Fix og SG 3003 / SG 2521 med en afstand på 90 cm mellem fastgøringspunkterne. Stoffet fastgøres til kassetten med burrelås. Stoffets søm i henhold til type A-D i systembeskrivelsen. Gardin med tværstang bør leveres med stængerne SG2144 / SG 2135 / SG 2135. Børnesikkerhedskomponenter medfølger. Overholder lovgivning om børnesikkerhed efter EN 13120. Stoffet vælges fra Silent Gliss stofprogrammet, prisgrupper 1-4.

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points

B. CEILING FITTING

Clamp SG 3003

SG 3003

Clamp

Bracket SG 2521

SG 2521

Bracket

C. WALL FITTING

Bracket SG 2363

SG 2363

Bracket 68 mm

Smart Fix

Smart Fix SG 11200 - SG 11204 and bracket SG 2521:
Screw SG 10395 (M4x6) needed.

Square Smart Fix SG 11210 - SG 11214 and bracket SG 2521:
Screw SG 10395 (M4x6) needed.

Universal Smart Fix SG 11154 - SG 11156 and bracket SG 2521:
Screw SG 10492 (M4x8) needed.

Smart Fix	*X mm*
SG 11200 / SG 11210	*80-84*
SG 11201 / SG 11211	*100-104*
SG 11202 / SG 11212	*120-124*
SG 11203 / SG 11213	*140-144*
SG 11204 / SG 11214	*170-174*
SG 11154	*134-162*
SG 11155	*164-192*
SG 11156	*214-242*

SG 2521
Bracket

SG 10395
Pan head screw M4x6

SG 10492
Pan head screw M4x8

SG 11200
Smart Fix 60 mm

SG 11201
Smart Fix 80 mm

SG 11202
Smart Fix 100 mm

SG 11203
Smart Fix 120 mm

SG 11204
Smart Fix 150 mm

SG 11210
Square Smart Fix 60 mm

SG 11211
Square Smart Fix 80 mm

SG 11212
Square Smart Fix 100 mm

SG 11213
Square Smart Fix 120 mm

SG 11214
Square Smart Fix 150 mm

SG 11154
Universal Smart Fix 120 mm

SG 11155
Universal Smart Fix 150 mm

SG 11156
Universal Smart Fix 200 mm

SYSTEM OPTIONS

A. FABRIC MAKE-UP

Type A

A: Loop tape SG 3074
B: Cord SG 2216
C: Child safety hook set SG 3164
D: Hollow hem
E: Bottom bar SG 2004
F: Child safety: max. distance 200 mm

Type B

A: Hollow hem
B: Child safety eyelet hard fold SG 3069
C: Rod SG 2135
D: Cord SG 2216
E: Child safety hook set SG 3164

Type C

A: Child safety eyelet set SG 3161
B: Tube SG 2135 / SG 2137
C: Cord SG 2216
D: Child safety hook set SG 3164
E: Option: tube SG 2135 / SG 2137 can be installed to room side

B. BATTERY EXCHANGE

MOTOR & CONTROLS

A. MOTOR FEATURES

Motor	SG 11076
Motor Features	
Soft start / stop	●
Built-in receiver	●
Electronic end-stop	●
Electronic revolution counter (unlimited revolution)	●
IP class	IP 44
Control Features	
SG Control A	●

B. MOTOR SPECIFICATIONS

Motor	Min. system width	Voltage	Current	Speed	Frequency receiver
SG 11076	60 cm	12 V DC	0.55 A	30 rpm	433 MHz

C. OPERATION METHODS

See catalogue "controls" for details.

SG Control A

Various radio hand-held and wall transmitters available.

PARTS

A. STANDARD PARTS

SG 2004
Bottom bar 20x7 mm

SG 2216
Cord ø 0.85 mm

SG 2221
Velcro tape

SG 2351
Profile

SG 2352
Profile ø 50 mm

SG 2353
End cover

SG 2354
End cover

SG 2357
Pin

SG 2358
Shell

SG 2359
Support

SG 2361
Tube adapter

SG 2368
Motor plate

SG 2539
Tape

SG 3003
Clamp

SG 3164
Child safety hook set

SG 10139
Countersunk screw 2.9x6.5

SG 10467
Countersunk head screw 2.9x13

SG 10946
Radio hand held 1 channel

SG 11071
Motor drive

SG 11074
Tube adapter

SG 11076
Motor 12V DC, 1.2/30

SG 11077
Battery box

SG 11085
Battery box holder

SG 11099
AA Energizer Ultimate lithium batteries

SG 11103
Warning sticker

B. OPTIONAL PARTS

SG 2006
Bottom bar 28x3 mm

SG 2135
Rod steel ø 3 mm

SG 2137
Rod fiberglass ø 4 mm

SG 2363
Bracket 68 mm

SG 2521
Bracket

SG 3055
Hook

SG 3074
Loop tape

SG 3161
Child safety eyelet set

SG 10395
Pan head screw M4x6

SG 10492
Pan head screw M4x8

SG 10947
Radio hand held 2+1 channel

SG 10948
Radio hand held 6+1 channel

SG 10949
Radio wall transmitter 1 channel

SG 10950
Radio wall transmitter 2 channel

SG 10951

Radio wall transmitter 5+1 channel

SG 11154

Universal Smart Fix 120 mm

SG 11155

Universal Smart Fix 150 mm

SG 11156

Universal Smart Fix 200 mm

SG 11200

Smart Fix 60 mm

SG 11201

Smart Fix 80 mm

SG 11202

Smart Fix 100 mm

SG 11203

Smart Fix 120 mm

SG 11204

Smart Fix 150 mm

SG 11210

Square Smart Fix 60 mm

SG 11211

Square Smart Fix 80 mm

SG 11212

Square Smart Fix 100 mm

SG 11213

Square Smart Fix 120 mm

SG 11214

Square Smart Fix 150 mm

SG 11482

Ring

SG 2350

PRODUCT INFORMATION

- ***Operation:*** *motorised*
- ***Range:*** *S - L*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *Quiet and fast motors*
- *Soft stop*
- *Various control options*
- *Enclosed headrail*

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS

6 m

60 cm

6 m

36 m²

15 kg

B. PROFILE

Profile information

SG 2351
Profile

SG 2352
Profile ø 50 mm

SG 2004
Bottom bar 20x7 mm

SG 2135
Rod steel ø 3 mm

SG 2137
Rod fiberglass ø 4 mm

C. HOW TO MEASURE

A: System width
B: System height

D. SPECIFICATION TEXT

EN

Silent Gliss SG 2350 Roman Blind Headrail System with motor. Comprises headrail SG 2351 made to measure and powder coated in white. Profile SG 2352 with cord holder SG 2358 and detachable cord lock SG 2357 for easy dismantling when washing the fabric. Cord SG 2216. Integral 230V motor SG 10522/ SG 10523 left / right side. Operation by mains switch (not supplied), by remote control or mains switching by third party control system. All wiring to be strictly in accordance with Silent Gliss wiring diagrams. Top fix using clip bracket SG 3003. Wall fix with SG Smart Fix and SG 3003 / SG 2521 at max. 90cm between fixing points. Fabric to be attached to headrail profile using loop tape. Fabric make up according to type A-D in the system description. For hardfold, the curtain should be delivered with rods SG2144 / SG 2135 / SG 2135. Child Safety components included, compliant to Child Safety Legislation EN 13120. Fabric to be chosen from the Silent Gliss fabric range, Price Groups 1-4.

SV

Silent Gliss SG 2350 hissgardinsystem med toppkassett och motor. Levereras komplett i specificerat mått innefattande kassett SG 2351 vitlack. Profil SG 2352 med linhållare SG2358 med avtagbart linlås SG 2357 för enkel nermontering av gardinen utan behov av omträdning efter tvätt. Lina SG 2216). Integrerad 230V motor SG 10522/ SG 10523 vänster / höger sida. Styrning via väggkontakt(ej inkluderad), via fjärrkontroll eller via externt styrsystem. All elinstallation skall följa Silent Gliss kopplingsschema. Takmontering med SG 3003. Väggmontering med SG Smart Fix i kombination med SG 3003 / SG 2521. Max. c/c 900 mellan fästpunkter. Textil fästes mot kassett med kardborretape. Sömnad typ A-D enligt systembeskrivning. Gardin med tvärstag levereras med tvärstag SG 2144 / SG 2137 / SG 2135. Barnsäkerhetsdetaljer inkluderade vilka uppfyller barnsäkerhetsnorm EN 13120. Textil från Silent Gliss textilprogram i prisgrupp 1-4.

NO

Silent Gliss SG 2350 motorisert liftgardin med toppkasse. Leveres komplett på spesifisert mål. Består av kassett SG 2351 hvitlakkert. Profil SG 2352, med avtagbar snorlås SG 2357 for enkel demontering, og for å unngå ny trekking av tråder etter vask. Snor SG 2216. Integrert 230V motor SG 10522 / SG 10523 venstre/høyre side Styring via veggkontakt (ikke inkl.), via fjernkontroll (ikke inkl.), eller via eksternt styresystem. Silent Gliss koblingsskjema må benyttes ved all el-installasjon. Takmontering med SG3003. Veggmontering SG Smart fix i kombinasjon med SG 3003 / SG 2521. Max c/c 900 mellom festepunktene. Tekstilen festes i kassetten med borrelås. Søm type A-D i.h.t. systembeskrivelse. Gardiner med spiler leveres med spile SG 2144 / SG 2137 / SG 2135. Oppfyller krave til barnesikkerhetsnormen EN 13120. Tekstiler fra Silent Gliss tekstilprogram i prisgruppe 1-4.

DA

Silent Gliss SG 2350 rullegardinsystem med topkassette og motor. Består af topkassette SG 2351 i specificerede mål og med hvid pulverlakering. Profil SG 2352 med snorholder SG 2358 og aftagelig snorlås SG 2357, så det er nemt at skille ad, når stoffet skal vaskes. Snor SG 2216. Integreret 230 V motor SG 10522/ SG 10523 venstre / højre side. Styres med lysnetkontakt (medfølger ikke), med fjernbetjening eller lysnetkontakt fra tredjepart system. Al ledningsføring skal udelukkende vælges i henhold til Silent Gliss ledningsdiagrammer. Fastgøres i loftet med clipsbeslag SG 3003. Vægmonteres med SG Smart Fix og SG 3003 / SG 2521 med en afstand på 90 cm mellem fastgøringspunkterne. Stoffet fastgøres til kassetten med burrelås. Stoffets søm i henhold til type A-D i systembeskrivelsen. Gardin med tværstang bør leveres med stængerne SG2144 / SG 2135 / SG 2135. Børnesikkerhedskomponenter medfølger. Overholder lovgivning om børnesikkerhed efter EN 13120. Stoffet vælges fra Silent Gliss stofprogrammet, prisgrupper 1-4.

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points

B. CEILING FITTING

Clamp SG 3003

SG 3003
Clamp

Bracket SG 2521

SG 2521
Bracket

C. WALL FITTING

Smart Fix

Smart Fix SG 11200 - SG 11204 and bracket SG 2521:
Screw SG 10395 (M4x6) needed.

Smart Fix	*X mm*
SG 11200 / SG 11210	*80-84*
SG 11201 / SG 11211	*100-104*
SG 11202 / SG 11212	*120-124*
SG 11203 / SG 11213	*140-144*
SG 11204 / SG 11214	*170-174*
SG 11154	*134-162*
SG 11155	*164-192*
SG 11156	*214-242*

Square Smart Fix SG 11210 - SG 11214 and bracket SG 2521:
Screw SG 10395 (M4x6) needed.

Universal Smart Fix SG 11154 - SG 11156 and bracket SG 2521:
Screw SG 10492 (M4x8) needed.

SG 2521
Bracket

SG 10395
Pan head screw M4x6

SG 10492
Pan head screw M4x8

SG 11200
Smart Fix 60 mm

SG 11201
Smart Fix 80 mm

SG 11202
Smart Fix 100 mm

SG 11203
Smart Fix 120 mm

SG 11204
Smart Fix 150 mm

SG 11210
Square Smart Fix 60 mm

SG 11211
Square Smart Fix 80 mm

SG 11212
Square Smart Fix 100 mm

SG 11213
Square Smart Fix 120 mm

SG 11214
Square Smart Fix 150 mm

SG 11154
Universal Smart Fix 120 mm

SG 11155
Universal Smart Fix 150 mm

SG 11156
Universal Smart Fix 200 mm

Bracket SG 2363

SG 2363

Bracket 68 mm

D. FITTING WITH SIDE GUIDE OPTION

SG 2362

Side guide wire holder

SG 4948

Side guide wire ø 1.5 mm

SG 8235

Side guide wire base short

SG 8236

Side guide wire base long

SG 8237

Side guide wire holder

SG 8249

Side guide device

SYSTEM OPTIONS

A. FABRIC MAKE-UP

Type A

A: Loop tape SG 3074
B: Cord SG 2216
C: Child safety hook set SG 3164
D: Hollow hem
E: Bottom bar SG 2004
F: Child safety: max. distance 200 mm

Type B

A: Hollow hem
B: Child safety eyelet hard fold SG 3069
C: Rod SG 2135
D: Cord SG 2216
E: Child safety hook set SG 3164

Type C

A: Child safety eyelet set SG 3161
B: Tube SG 2135 / SG 2137
C: Cord SG 2216
D: Child safety hook set SG 3164
E: Option: tube SG 2135 / SG 2137 can be installed to room side

B. SIDE GUIDES

Additional parts:

- *2x SG 2362 Side guide wire holder*
- *2x SG 4948 Side guide wire ø 1.5 mm*
- *2x SG 8235 Side guide wire base short*
- *2x SG 8237 Side guide wire holder*
- *4x SG 8249 Side guide device*

Note:

- *Up to 15° from vertical*

MOTORS & CONTROLS

A. MOTOR FEATURES

Motors	50-Series	20-Series	20-Series	10-Series K	5-Series
	SG 11251 SG 11252	SG 10323 SG 10523	SG 10322 SG 10522	SG 10514	SG 10715
Motor Features					
Soft stop	●	●	●		
Electronic end-stop	●	●	●		
Electronic revolution counter (unlimited revolution)	●	●	●		
Mechanical end-stop				●	●
Mechanical revolution counter (limited revolution)				●	●
Two intermediate positions possible		●			
Bottom bar allignment	●				
Noiseless stop		●	●	●	
Parallel wiring possible without additional relays		●	●		
Disconnectable motor cable	●	●	●		
IP class	IP 30	IP 44	IP 44	IP 44	IP 44
Control Features					
Mains power control		●	●	●	●
SG Control L (built-in receiver)		●			
Smart by Silent Gliss	●				
Suitable for most major home automation systems (with suitable interface)		●	●	●	●

B. MOTOR SPECIFICATIONS

Motors	Max. weight	Min. system width	Voltage	Current	Frequency	Speed	Frequency receiver
50-Series (Smart by Silent Gliss)							
SG 11251	7.5 kg	60 cm	24 V DC	1.5 A	-	32 rpm	-
SG 11252	15 kg	60 cm	24 V DC	2.1 A	-	20 rpm	-
20-Series							
SG 10322 (Standard)	15 kg	60 cm	230 V AC	0.73 A	50 Hz	30 rpm	-
SG 10323	15 kg	60 cm	230 V AC	0.73 A	50 Hz	30 rpm	868/915 MHz
SG 10522	7.5 kg	60 cm	230 V AC	0.55 A	50 Hz	30 rpm	-
SG 10523	7.5 kg	60 cm	230 V AC	0.55 A	50 Hz	30 rpm	868/915 MHz
10-Series K							
SG 10514	7.5 kg	60 cm	230 V AC	0.52 A	50 Hz	30 rpm	-
5-Series							
SG 10715	15 kg	60 cm	230 V AC	0.485 A	50-60 Hz	28 rpm	-

C. OPERATING METHODS

See catalogue "controls" for details.

Wall Switch

System can be operated by fixed wall switch.

SG Control L

Various radio hand-held and wall transmitters available.

Silent Gliss Move App.

Smart by Silent Gliss

Open designed two-way communication system which allows to flawlessly integrate products with most major building management systems.

D. WIRING DIAGRAMS

Refer to Silent Gliss website.

PARTS

A. STANDARD PARTS

SG 2004
Bottom bar 20x7 mm

SG 2216
Cord ø 0.85 mm

SG 2221
Velcro tape

SG 2351
Profile

SG 2352
Profile ø 50 mm

SG 2353
End cover

SG 2354
End cover

SG 2357
Pin

SG 2358
Shell

SG 2359
Support

SG 2361
Tube adapter

SG 2368
Motor plate

SG 2382

SG 2539
Tape

SG 3003
Clamp

SG 3164
Child safety hook set

SG 10139
Countersunk screw 2.9x6.5

SG 10284
O-Ring

SG 10522
Motor 230V AC, 20-Series S 3/30

SG 11324
PT Screw Countersunk KA35x14

B. OPTIONAL PARTS

SG 2135
Rod steel ø 3 mm

SG 2137
Rod fiberglass ø 4 mm

SG 2362
Side guide wire holder

SG 2363
Bracket 68 mm

SG 2521
Bracket

SG 3055
Hook

SG 3069
Child safety eyelet

SG 3074
Loop tape

SG 3161
Child safety eyelet set

SG 4948
Side guide wire ø 1.5 mm

SG 8235
Side guide wire base short

SG 8236
Side guide wire base long

SG 8237
Side guide wire holder

SG 8249
Side guide device

SG 9916

Hirschmann plug set

SG 10293

Cable 230V AC, 2/3/5/10 m

SG 10300

Radio hand held 1 channel

SG 10302

Radio hand held 5+1 channel

SG 10303

Radio hand held 10+2+1 channel

SG 10322

Tubular motor 230V AC,20 Series S 5/30

SG 10323

Tubular motor 230V AC, 20-Series S 5/30, radio receiver

SG 10395

Pan head screw M4x6

SG 10492

Pan head screw M4x8

SG 10514

Tubular motor 230V AC,10 Series S 3/30 K

SG 10523

Motor 230V AC, 20-Series S 3/30, radio receiver

SG 10715

Tubular motor 230V AC, 5 Series S 6/28

SG 10804

Radio hand held 15+5+1 channel

SG 11154

Universal Smart Fix 120 mm

SG 11155

Universal Smart Fix 150 mm

SG 11156

Universal Smart Fix 200 mm

SG 11200

Smart Fix 60 mm

SG 11201

Smart Fix 80 mm

SG 11202

Smart Fix 100 mm

SG 11203

Smart Fix 120 mm

SG 11204

Smart Fix 150 mm

SG 11210

Square Smart Fix 60 mm

SG 11211

Square Smart Fix 80 mm

SG 11212

Square Smart Fix 100 mm

SG 11213

Square Smart Fix 120 mm

SG 11214

Square Smart Fix 150 mm

SG 11251

Tubular motor 24V DC, 50-Series S 3/32

SG 11252

Tubular motor 24V DC, 50-Series S 6/20

SG 11260

Gateway Cedia

SG 11261

Gateway KNX

SG 11262

Expansion unit

SG 11263

Power supply 24V DC, 2 Ampere DIN Rail

SG 11264

Power supply 24V DC, 3.8 Ampere DIN Rail

SG 11265

Power supply 24V DC, 5 Ampere DIN Rail

SG 11266

Power supply 24V DC, 10 Ampere DIN Rail

SG 11351

Motor drive 5-Series

SG 11480

Radio wall transmitter 1 channel

SG 11482

Ring

SG 11490

Radio wall transmitter 5+1 channel

The Architects of Silence

Silent Gliss is the leading global supplier of premium interior window treatments. Since 1952 we have been tirelessly committed to the development of the worlds` smoothest, quietest systems using state of the art technology.

Driven by customer needs, Silent Gliss offers functional and durable products. Expert technical advice coupled with installation and support services complete the offer. Silent Gliss stands for innovative, sustainable, tailor made solutions, exceptional design and first-class quality.

Silent Gliss Nordic AB
Travbanegatan 9
213 77 Malmö
Sweden
T +46 40 55 52 50
info@silentgliss.se

Byggdøy Allé 111A
0273 Oslo
Norway
T +47 24 11 80 60
info@silentgliss.no

Denmark
T +45 36 77 67 00
info@silentgliss.dk

silentgliss.se
silentgliss.no
silentgliss.dk